

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼／受理編號：(No.) CI456062220127

Certificate No./Application No.

商品標籤及商品檢驗標識：(Picture) 見附表二

Product Label and Commodity Inspection Mark.

樣張及其標示位置：(Description and Picture) 見附表二

Sample and its location

設備名稱：LED燈絲燈		，型號（型式）：FOE-A-07-30K-MK系列型號請見附表一				
Equipment name		Type designation (Type)				
單元Unit	限用物質及其化學符號					
	Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
燈頭	○	○	○	○	○	○
外殼	○	○	○	○	○	○
驅動電源	○	○	○	○	○	○
光源	○	○	○	○	○	○

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. “-”係指該項限用物質為排除項目。
Note 3: The “-” indicates that the restricted substance corresponds to the exemption.

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施，並備置前述相關文件，確認正確無誤後提供貴局。並同意配合貴局執行後市場管理作業所需，依商品檢驗法第49條之規定，於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that “the presence conditions of the restricted substance” provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as the Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities.

此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人：鈞鴻光電股份有限公司

Applicant

負責人：吳素華 (簽章)

Person in charge

(Signature)

中華民國 107 年 05 月 04 日

DATE

(year)

(month)

(day)



附表一

FOE-A-07-30K-MK	FOE-P-02-30K-MK	FOE-Z-04-27K-CL
FOE-A-04-30K-CL	FOE-P-02-65K-CL	FOE-Z-04-22K-AM
FOE-A-04-30K-MK	FOE-P-02-65K-FR	
FOE-A-04-65K-CL	FOE-P-02-65K-MK	
FOE-A-04-65K-FR	FOE-P-04-30K-CL	
FOE-A-04-65K-MK	FOE-P-04-30K-MK	
FOE-A-06-30K-CL	FOE-P-04-65K-CL	
FOE-A-06-30K-MK	FOE-P-04-65K-FR	
FOE-A-06-65K-CL	FOE-P-04-65K-MK	
FOE-A-06-65K-FR	FOE-ST-02-27K-CL	
FOE-A-06-65K-MK	FOE-ST-02-27K-AM	
FOE-A-07-30K-CL	FOE-ST-04-27K-CL	
FOE-A-07-65K-CL	FOE-ST-04-27K-AM	
FOE-A-07-65K-FR	FOE-I-04-27K-AM	
FOE-A-07-65K-MK	FOE-II-04-27K-AM	
FOE-P-02-30K-CL	FOE-Z-04-27K-CL	
FOE-A-07-30K-MK	FOE-Z-04-22K-AM	
FOE-A-04-30K-CL	FOE-P-02-30K-MK	
FOE-A-04-30K-MK	FOE-P-02-65K-CL	
FOE-A-04-65K-CL	FOE-P-02-65K-FR	
FOE-A-04-65K-FR	FOE-P-02-65K-MK	
FOE-A-04-65K-MK	FOE-P-04-30K-CL	
FOE-A-06-30K-CL	FOE-P-04-30K-MK	
FOE-A-06-30K-MK	FOE-P-04-65K-CL	
FOE-A-06-65K-CL	FOE-P-04-65K-FR	
FOE-A-06-65K-FR	FOE-P-04-65K-MK	
FOE-A-06-65K-MK	FOE-ST-02-27K-CL	
FOE-A-07-30K-CL	FOE-ST-02-27K-AM	
FOE-A-07-65K-CL	FOE-ST-04-27K-CL	
FOE-A-07-65K-FR	FOE-ST-04-27K-AM	
FOE-A-07-65K-MK	FOE-I-04-27K-AM	
FOE-P-02-30K-CL	FOE-II-04-27K-AM	

商品標籤

Product Label



RXXXXX^{↙↘}

RoHS^{↙↘}

8.2W 3000K^{↙↘}

100-240Vac 50/60Hz^{↙↘}

FOE-A-07-30K-MK^{↙↘}

外包裝標示，無彩色印刷

產品名稱	LED 燈絲燈
產品型號	FOE-A-07-30K-MK
額定電壓	100~240(V)
額定電流	0.073~0.043(A)
額定頻率	50/60(Hz)
額定功率	8.2(W)
額定光通量	980(lm)
額定發光效	120 (lm/W)
額定色溫	F3000
額定演色性	80
額定壽命	4000
失效百分數	F50
光束維持率	70%
配光形式	非指向型半周光
光學特性代	830/7+7+7
相移因數	0.8
重量	34±5g
外觀尺寸	6±0.1cmx 6±0.1cmx 10.4±0.3cm
產地	中國
光生物安全	無危害等級
委製進口商	鈞鴻光電股份有限公司
地址	新北市土城區金城路二段 211 號 4F
電話	(02)22730176

限用物質含有情況標示資訊網址:
<http://www.foeglobe.com>

樣張及其標示位置

設備名稱：LED燈絲燈泡 ，型號（型式）：WA2W27-6.5 Equipment name Type designation (Type)						
單元Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominate d biphenyls (PBB)	多溴二苯醚 Polybrominate d diphenyl ethers (PBDE)
燈頭	○	○	○	○	○	○
外殼	○	○	○	○	○	○
驅動電源	○	○	○	○	○	○
光源	○	○	○	○	○	○

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。
Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。
Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. “-”係指該項限用物質為排除項目。
Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.

產品名稱	LED 燈絲燈
產品型號	FOE-A-07-30K-MK
額定電壓	100~240(V)
額定電流	0.073~0.043(A)
額定頻率	50/60(Hz)
額定功率	8.2(W)
額定光通量	980(lm)
額定發光效	120 (lm/W)
額定色溫	F3000
額定演色性	80
額定壽命	4000
失效百分數	F50
光束維持率	70%
配光形式	非指向型半周光
光學特性代	830/7+7+7
相移因數	0.8
重量	34±5g
外觀尺寸	6±0.1cmx 6±0.1cmx 10.4±0.3cm
產地	中國
光生物安全	無危害等級
委製進口商	鈞鴻光電股份有限公司
地址	新北市土城區金城路二段 211 號 4F
電話	(02)22730176

限用物質含有情況標示資訊網址:
<http://www.foeglobe.com>